

Questionnaire

A. Patient information

Name of clinic:.....

Animal ID:.....

Breed of dog:.....

Age:.....

Sex: Male Female

Neutered: Yes No

How and when did the animal die?

Exitus within seizure activity

Euthanasia

Others:.....

Date of death/exitus:

B. Animal's state of health

Any known health conditions?

No.

Yes. Which ones?.....

Is there any evidence for hepatic failure or dysfunction?

No.

Yes. Type of diseases and /or evidence?.....

.....

Is there any evidence for a dysfunction of the thyroid gland or any other hormonal dysregulation?

No.

Yes. Type of diseases and /or evidence?.....

.....

Is there any evidence for renal failure or dysfunction?

No.

Yes. Type of diseases and /or evidence?.....

.....

Is there any evidence for cardio-vascular dysfunction?

No.

Yes. Type of diseases and /or evidence?.....

.....

Did the animal receive chronic medical treatment?

No.

Yes. Which ones?.....

.....

C. Information on the type of seizure activity

Age at onset of first detected seizure activity?.....

Did the patient exhibit seizure activity at time of presentation?

- No.
- Yes. What was the type of seizure?.....

What was the monthly seizure frequency?.....

- Phenotype of seizures:
- Myclonic seizures
 - Focal/ partial seizures
 - Generalized seizures
 - Seizure clusters
 - Status epilepticus

- Last detected seizure activity prior death?
- < 1hour
 - < 1day
 - 1-3 days
 - 4-7 days
 - > 7 days

- Phenotype of last detected seizure prior death:
- Myclonic seizures
 - Focal/ partial seizures
 - Generalized seizures
 - Seizure clusters
 - Status epilepticus

Was there an intracranial cause of Epilepsy?

- Encephalitis. Please specify:.....
- Tumor. Please specify:.....
- Trauma. Please specify:.....
- Hydrocephalus. Please specify:.....
- Others:

Was there an extracranial cause of epilepsy?

- No.
- Yes. Please specify:.....

Seizure therapy

What AEDs have been used? Please indicate the dosage and the duration of treatment:.....

.....
.....
.....

How effective was AED treatment?

- No seizures at all with treatment.
- Reduction of seizure frequency by less than 25%
- Reduction of seizure frequency by less than 50%
- Reduction of seizure frequency by less than 75%
- No significant reduction

What other drugs have been administered in the lost two weeks prior death/euthanasia?.....

.....
.....
.....